

# lipari.premium 1178



## Model Code F5618

date of issue 10-09-20 revision 00  
revision of 11-11-21 (the present replaces any previous versions)

**Designer:** centro studi interno

**Structure:** pinewood, beechwood, multilayer and plywood covered with polyurethane foam.

**Spring system:** elastic webbing

**Seat Padding:** seat cushions in ecological polyurethane foam covered with 100% polyester padding.

**Back Padding:** back cushions and headrests in ecological polyurethane foam covered with 100% polyester padding.

**Arm Interior:** armrests in ecological polyurethane foam covered with 100% polyester padding.

**Removability:** not available.

**Sewing:** leather coverings feasible with contrast stitching in the colors available; cuts and sewing vary on microfiber (or fabric) coverings

**Mechanisms:** the model is equipped with headrests that can be manually lifted. The height of the model with lift-up headrests is 99 cm. Recliner versions available with electrically powered metal mechanism operated by a touch pad positioned on the sides (PULS\_1). The maximum depth of the open recliner is 146 cm.

**Components:** button panel (puls\_1) equipped with USB connector which allows several devices to be plugged in.

**Standard feet:** the model is lifted 12 cm off the floor, PM953 front feet, PM954 rear feet, all in shiny metal, h. 15 cm, also available in Graubraun color. Some versions may be equipped with hidden feet with a supporting structural function.

### Density of seat and back kg/cbm (±5%) <sup>(1)</sup>

Markets	Seat	Back
I	30 Medium	27
D - NL - CH		
USA - California		
GB	37 fire retardant	27 fire retardant
Others	30 Medium	27

Note: when no values/contents are specified in the chart, please refer to 'Others' field/area.

<sup>(1)</sup>Density: volume mass apparently determined on materials without any kind of covers and according to the UNI EN ISO 845 regulations. Indicated values refer to production averages; the Company reserves the right, if needed, to make changes to the declared technical characteristics. Before use, it is advisable to look at the SAFETY INFORMATION TECHNIQUE for info regarding use and protection of people and of the environment, in compliance with existing EEC regulations.

### Coverings

	suggested	not suggested	not possible
thick leathers	✓		
thin elastic leathers	✓		
natural leathers	✓		
fabric*	✓		
microfibre*	✓		
leather + split	✓		
DeLuxe			✓
multi colour**			✓
multi-category**			✓
multi covering**			✓

Please note: for not removable models, only one colour fabric covers are available.

\* fabrics and microfibers are not available for the U.K. market

### Components / Optional vers.



PULS\_1

### Feet



PM953

PM954

### Ottoman



With the reservation of carrying for production purposes and without advanced notices modifications on the materials, coverings and dimensions of the product as indicated in the relevant specification. The given dimensions and volume are of indicative value being subject to the production process tolerances. For normal use, the following maximum loads are recommended: Armchairs max. 120 kg, 2-seat sofas max. 200 kg (2x100 kg), 3-seat sofas max. 240 kg (3x80 kg). Use with loads exceeding the indicated values may cause the sofa/armchair or its components to break.




↑ fold following the dotted line ↑

# lipari.premium 1178



L Length - H Height - D Depth - SH Seat Height - SD Seat Depth  
Dimensions refer to maximum sizes of the version with closed mechanism (where available).



<b>dimensions</b>	<b>L 110</b>	<b>L 175</b>	<b>L 196</b>	<b>L 218</b>	<b>L 111</b>
<b>version code</b>	<b>H83 D102 SH47 SD53</b>	<b>H83 D102 SH47 SD53</b>	<b>H83 D102 SH47 SD53</b>	<b>H83 D102 SH47 SD53</b>	<b>H83 D102 SH47 SD53</b>
<b>Description</b>	<b>100</b>	<b>200</b>	<b>240</b>	<b>300</b>	<b>161</b>
	<b>chair</b>	<b>2 seater</b>	<b>2 1/2 seater</b>	<b>3 seater</b>	<b>chair with elec.recl.</b>
<b>L 88</b>	<b>L 88</b>	<b>L 89</b>	<b>L 89</b>	<b>L 98</b>	<b>L 98</b>
<b>H83 D102 SH47 SD53</b>	<b>H83 D102 SH47 SD53</b>	<b>H83 D102 SH47 SD53</b>	<b>H83 D102 SH47 SD53</b>	<b>H83 D102 SH47 SD53</b>	<b>H83 D102 SH47 SD53</b>
<b>B 68</b>	<b>B 69</b>	<b>C 36</b>	<b>C 37</b>	<b>110</b>	<b>120</b>
<b>mini chair raf</b>	<b>mini chair laf</b>	<b>rhf el.rec.mini chair</b>	<b>lhf el.rec.mini chair</b>	<b>1 right arm facing chair</b>	<b>1 left arm facing chair</b>
<b>L 99</b>	<b>L 99</b>	<b>L 109</b>	<b>L 109</b>	<b>L 110</b>	<b>L 110</b>
<b>H83 D102 SH47 SD53</b>	<b>H83 D102 SH47 SD53</b>	<b>H83 D102 SH47 SD53</b>	<b>H83 D102 SH47 SD53</b>	<b>H83 D102 SH47 SD53</b>	<b>H83 D102 SH47 SD53</b>
<b>173</b>	<b>174</b>	<b>114</b>	<b>124</b>	<b>612</b>	<b>613</b>
<b>elec.rec.chair 1arm raf</b>	<b>elec.rec.chair 1arm laf</b>	<b>rhf maxi chair</b>	<b>lhf maxi chair</b>	<b>1raf maxi chair rec.el</b>	<b>1laf maxi chair rec.el</b>
<b>L 173</b>	<b>L 173</b>	<b>L 193</b>	<b>L 193</b>	<b>L 174</b>	<b>L 174</b>
<b>H83 D102 SH47 SD53</b>	<b>H83 D102 SH47 SD53</b>	<b>H83 D102 SH47 SD53</b>	<b>H83 D102 SH47 SD53</b>	<b>H83 D102 SH47 SD53</b>	<b>H83 D102 SH47 SD53</b>
<b>251</b>	<b>252</b>	<b>310</b>	<b>320</b>	<b>G 06</b>	<b>G 07</b>
<b>1 right arm fac.2 1/2 str</b>	<b>1 left arm fac. 2 1/2 str</b>	<b>1right arm facing 3 str</b>	<b>1left arm facing 3 str</b>	<b>rhf 2 1/2 seater el.rec.</b>	<b>lhf 2 1/2 seater el.rec.</b>

↓ fold following the dotted line ↓



